## Message

From: Beck, Nancy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=168ECB5184AC44DE95A913297F353745-BECK, NANCY]

**Sent**: 3/29/2019 7:01:13 PM

To: Bolen, Derrick [bolen.derrick@epa.gov]

**Subject**: Fwd: Declined: Chlorpyrifos

\*\*\*\*\*\*\*\*\*\*\*\*\*

Nancy B. Beck, Ph.D., DABT Principal Deputy Assistant Administrator Office of Chemical Safety and Pollution Prevention P: <u>202-564-1273</u> beck.nancy@epa.gov

## Begin forwarded message:

From: "DCRoomEast3156/DC-EPA-EAST-OCSPP" < DCRoomEast3156@epa.gov>

To: "Beck, Nancy" < Beck Nancy@epa.gov>

**Subject: Declined: Chlorpyrifos** 

Your request was declined because there are conflicts.

The conflicts are:

Organizer and Time of Conflicting Meeting
Beck, Nancy<mailto:Beck.Nancy@epa.gov> - Tuesday, April 2, 2019 1:00:00 PM to
Tuesday, April 2, 2019 2:00:00 PM

All times listed are in the following time zone: (UTC-05:00) Eastern Time (US & Canada)

Your conference room reservation has been received and is either tentative/accepted. This room only available to OCSPP AA-level Staff. VTC Capable (Conference Room) with Polycom, & Presentation Capability For video Conferencing support, please contact <a href="mailto:EPAVTC@epa.gov">EPAVTC@epa.gov</a> or VTC Helpdesk Support - (866) 411-4372 press 5 or <a href="http://cfint.rtpnc.epa.gov/oito/video/vtc.cfm">http://cfint.rtpnc.epa.gov/oito/video/vtc.cfm</a>

Sent by Microsoft Exchange Server 2016